


CABLE TRUNKING SYSTEM OVERVIEW




CABLE TRUNKING SYSTEM OVERVIEW

1. Cable Trunking
2. Inside Bend
3. Bend Outside
4. Straight Reducer
5. Right Hand Reducer
6. Reducer
7. Equal Tee Top Cover
8. Cross
9. C- Channel
10. Cantilever Arm
11. End Cap


CABLE TRUNKING SYSTEMS & ACCESSORIES

CABLE TRUNKING SYSTEMS

TRUNKING TYPE



TWO COMPARTMENT TYPE




CABLE TRUNKING

Part no.	Width (mm)	Height (mm)	Thickness (mm)	Length (mm)
TR 50 X 50	50	50	0.7, 0.9, 1, 1.2, 1.5, 2	3 M/L
TR 75 X 50	75	50	0.7, 0.9, 1, 1.2, 1.5, 2	3 M/L
TR 75 X 75	75	75	0.7, 0.9, 1, 1.2, 1.5, 2	3 M/L
TR 100 X 50	100	50	0.7, 0.9, 1, 1.2, 1.5, 2	3 M/L
TR 100 X 75	100	75	0.7, 0.9, 1, 1.2, 1.5, 2	3 M/L
TR 100 X 100	100	100	0.7, 0.9, 1, 1.2, 1.5, 2	3 M/L
TR 150 X 50	150	50	0.7, 0.9, 1, 1.2, 1.5, 2	3 M/L
TR 150 X 75	150	75	0.9, 1, 1.2, 1.5, 2	3 M/L
TR 150 X 100	150	100	1, 1.2, 1.5, 2	3 M/L
TR 150 X 150	150	150	1, 1.2, 1.5, 2	3 M/L
TR 200 X 50	200	50	1, 1.2, 1.5, 2	3 M/L
TR 200 X 75	200	75	1.2, 1.5, 2	3 M/L
TR 200 X 100	200	100	1.2, 1.5, 2	3 M/L
TR 300 X 50	300	50	1.2, 1.5, 2	3 M/L
TR 300 X 75	300	75	1.2, 1.5, 2	3 M/L
TR 300 X 100	300	100	1.2, 1.5, 2	3 M/L

CABLE TRUNKING ACCESSORIES



Code	Width (mm)	Height (mm)	Thickness (mm)
TR-TYPE A 90° Top Open Bend	50, 75, 100	50, 75, 100	0.9, 1, 1.2, 1.5, 2
TR-TYPE B 45° Top Open Bend	50, 75, 100	50, 75, 100	0.9, 1, 1.2, 1.5, 2
TR-TYPE C 90° Inside Open Bend	50, 75, 100	50, 75, 100	0.9, 1, 1.2, 1.5, 2
TR-TYPE D 45° Inside Open Bend	50, 75, 100	50, 75, 100	0.9, 1, 1.2, 1.5, 2
TR-TYPE E 90° Outside Open Bend	50, 75, 100	50, 75, 100	0.9, 1, 1.2, 1.5, 2
TR-TYPE F 45° Outside Open Bend	50, 75, 100	50, 75, 100	0.9, 1, 1.2, 1.5, 2
TR-TYPE G Tee Top Open Bend	50, 75, 100	50, 75, 100	0.9, 1, 1.2, 1.5, 2
TR-TYPE H Equal Cross	50, 75, 100	50, 75, 100	0.9, 1, 1.2, 1.5, 2
TR-TYPE I Reducer	50, 75, 100	50, 75, 100	0.9, 1, 1.2, 1.5, 2
TR-TYPE J Outside Riser	50, 75, 100	50, 75, 100	0.9, 1, 1.2, 1.5, 2
TR-TYPE K Inside Riser	50, 75, 100	50, 75, 100	0.9, 1, 1.2, 1.5, 2



TR-TYPE L Hanging Clamp
TR-TYPE M End Cap
TR-TYPE N Coupler